

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: markspencer

Timestamp: [year=2009; month=12; day=4; hr=15; min=9; sec=6; ms=792;]

=====

Application No: 10542284 Version No: 2.0

Input Set:

Output Set:

Started: 2009-11-25 11:53:43.786
Finished: 2009-11-25 11:53:48.419
Elapsed: 0 hr(s) 0 min(s) 4 sec(s) 633 ms
Total Warnings: 3
Total Errors: 0
No. of SeqIDs Defined: 99
Actual SeqID Count: 99

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (81)
W 213	Artificial or Unknown found in <213> in SEQ ID (82)
W 213	Artificial or Unknown found in <213> in SEQ ID (83)

<110> Wyeth Holdings Corporation

Farley, John Erwin
Hoiseth, Susan Kay

<120> METHODS FOR INCREASING NEISSERIA PROTEIN EXPRESSION AND
COMPOSITIONS THEREOF

<130> AM100238

<140> 10542284

<141> 2006-11-15

<150> PCT/US04/000800

<151> 2004-01-13

<150> 60/440,244

<151> 2005-01-15

<160> 99

<170> PatentIn version 3.4

<210> 1

<211> 1110

<212> DNA

<213> Neisseria meningitidis (group B)

<400> 1

atggatgtca gctgtacgg cgaaatcaaa gccggcggtgg aaggcaggaa catccagctg	60
cagttgaccg aaccgctccc aaatattcaa ctcagggtta ctaagcgcaa aagccgcatac	120
aggacgaaaa tcagcgattt cggctcgttt atcggcttta aggggagtga ggatttgggc	180
gaagggctga aggctgtttg gcagcttgag caagacgtat ccgttgccgg cggcggcgcg	240
tcccagtggg gcaacaggga atcctttatc ggcttggcag gcgaattcgg tacgctgcgc	300
gccggtcgcg ttgcaaatca gtttgacgat gccagccaag ccattgatcc ttgggacagc	360
aataatgatg tggcttcgca attgggtatt ttcaaacgcc acgacgatat gtcggtttcc	420
gtacgctacg attccccga attttcgggt tttagcggca gcgtccaatt cgttcgggcc	480
caaaacagca agtcgccta tacgcgggct cattttgttc agaataagca aaatcagcgg	540
cctactctcg ttccggctgt tgtcggcaag ccggggtcgg atgtgtatta tgccggtctg	600
aattacaaaa atggcggttt tgccgggaac tatgccttta aatacgcgaa acacgccaat	660
gtgggcccgtg atgcttttga gttgttcttg atcggcagcg cgacgagtga tgaagccaaa	720
ggtaccgatc ccttgaaaaa ccatcaggta caccgcctga cgggcggcta tgaggaaggc	780
ggcttgaatc tcgccttggc ggcccagttg gatttgtctg aaaatggcga caaagccaaa	840
acaaaaaaca gtacgaccga aattgccgcg actgcttct accgcttcgg taatgcagtt	900
ccacgcatac getatgccca tggtttcgac ttgatcgaac gcggtaaaaa aggcgaaaat	960
accagctacg atcaaatcat cgccggcggtt gattatgatt ttccaaaacg cacttcgcc	1020
atcgtgtctg gcgcttggct gaaacgcaat accggcatcg gcaactacac tcaaattaat	1080
gccgcctccg tcggttttgc ccacaaattc	1110

<210> 2

<211> 370

<212> PRT

<213> Neisseria meningitidis (group B)

<400> 2

Met Asp Val Ser Leu Tyr Gly Glu Ile Lys Ala Gly Val Glu Gly Arg
1 5 10 15

Asn Ile Gln Leu Gln Leu Thr Glu Pro Leu Pro Asn Ile Gln Pro Gln
20 25 30

Val Thr Lys Arg Lys Ser Arg Ile Arg Thr Lys Ile Ser Asp Phe Gly
35 40 45

Ser Phe Ile Gly Phe Lys Gly Ser Glu Asp Leu Gly Glu Gly Leu Lys
50 55 60

Ala Val Trp Gln Leu Glu Gln Asp Val Ser Val Ala Gly Gly Gly Ala
65 70 75 80

Ser Gln Trp Gly Asn Arg Glu Ser Phe Ile Gly Leu Ala Gly Glu Phe
85 90 95

Gly Thr Leu Arg Ala Gly Arg Val Ala Asn Gln Phe Asp Asp Ala Ser
100 105 110

Gln Ala Ile Asp Pro Trp Asp Ser Asn Asn Asp Val Ala Ser Gln Leu
115 120 125

Gly Ile Phe Lys Arg His Asp Asp Met Ser Val Ser Val Arg Tyr Asp
130 135 140

Ser Pro Glu Phe Ser Gly Phe Ser Gly Ser Val Gln Phe Val Pro Ala
145 150 155 160

Gln Asn Ser Lys Ser Ala Tyr Thr Pro Ala His Phe Val Gln Asn Lys
165 170 175

Gln Asn Gln Arg Pro Thr Leu Val Pro Ala Val Val Gly Lys Pro Gly
180 185 190

Ser Asp Val Tyr Tyr Ala Gly Leu Asn Tyr Lys Asn Gly Gly Phe Ala
195 200 205

Gly Asn Tyr Ala Phe Lys Tyr Ala Lys His Ala Asn Val Gly Arg Asp
210 215 220

Ala Phe Glu Leu Phe Leu Ile Gly Ser Ala Thr Ser Asp Glu Ala Lys
225 230 235 240

Gly Thr Asp Pro Leu Lys Asn His Gln Val His Arg Leu Thr Gly Gly
245 250 255

Tyr Glu Glu Gly Gly Leu Asn Leu Ala Leu Ala Ala Gln Leu Asp Leu
260 265 270

Ser Glu Asn Gly Asp Lys Ala Lys Thr Lys Asn Ser Thr Thr Glu Ile
275 280 285

Ala Ala Thr Ala Ser Tyr Arg Phe Gly Asn Ala Val Pro Arg Ile Ser
290 295 300

Tyr Ala His Gly Phe Asp Leu Ile Glu Arg Gly Lys Lys Gly Glu Asn
305 310 315 320

Thr Ser Tyr Asp Gln Ile Ile Ala Gly Val Asp Tyr Asp Phe Ser Lys
325 330 335

Arg Thr Ser Ala Ile Val Ser Gly Ala Trp Leu Lys Arg Asn Thr Gly
340 345 350

Ile Gly Asn Tyr Thr Gln Ile Asn Ala Ala Ser Val Gly Leu Arg His
355 360 365

Lys Phe
370

<210> 3

<211> 1104

<212> DNA

<213> *Neisseria meningitidis* (group B)

<400> 3

atggatg	tta	gcctgtac	gcg	cgaaatcaaa	gccggcg	tggaaggcagg	aa	catccagctg	60
cagttgacc	g	aaccgctcca	aaatattcaa	caacctcagg	ttactaagcg	caaaagccgc		120	
atcaggacga	aaatcagcga	tttcggctcg	tttatcggt	ttaaggggag	cgaggatttg		180		
ggcgaagggc	tgaaggctgt	ttggcagctt	gagcaagacg	tatccgttgc	cggcggcggc		240		
gcgacccgtt	ggggcaacag	ggaatccttt	gtcggcttgg	caggtgaatt	cggcacgctg		300		
cgcgcgcggc	gcgttgcgaa	tcagtttgac	gatgccagca	aagccattga	tccttgggac		360		
agcaataatg	ttgtggcttc	gcaattgggt	attttcaaac	gccacgacga	tatgccggtt		420		
tcctgtacgt	acgattcccc	ggaattttcc	ggtttcagcg	gcagcgtcca	attcgttccg		480		
gctcaaaaca	gcaagtccgc	ctatacgccg	gctcattttg	ttcagcagac	tcctcaaagt		540		
cagcctactc	tcgttccggc	tggttgctggc	aagccggggg	cggatgtgta	ttatgccggt		600		
ctgaattaca	aaaatggcgg	ttttgcgggg	aactatgcct	ttaaatacgc	gaaacacgcc		660		
aatgtggggc	gtgatgcttt	tgagttgttc	ttgctcgcca	gcgggagtga	tgaagccaaa		720		
ggtaccgatc	ccttgaaaaa	ccatcaggta	caccgcctga	cgggcggcta	tgaggaaggc		780		
ggcttgaatc	tcgccttggc	ggctcagttg	gatttgtctg	aaaatgccga	caaaaccaa		840		
aacagtacga	ccgaaattgc	cgccactgct	tcctaccgct	tcggtaatgc	agttccacgc		900		
atcagctatg	cccatggttt	cgactttatc	gaacgcggta	aaaaaggcga	aaataccagc		960		
tacgatcaaa	tcatgcgccg	cggttgattat	gattttttcca	aacgcacttc	cgccatcggt		1020		
tctggcgctt	ggctgaaacg	caataccggc	atcggaact	acactcaa	aatgcccgc		1080		
tcctgcggtt	tgccgacaaa	attc					1104		

<210> 4

<211> 368

<212> PRT

<213> *Neisseria meningitidis* (group B)

<400> 4

Met Asp Val Ser Leu Tyr Gly Glu Ile Lys Ala Gly Val Glu Gly Arg
1 5 10 15
Asn Ile Gln Leu Gln Leu Thr Glu Pro Leu Gln Asn Ile Gln Gln Pro
20 25 30
Gln Val Thr Lys Arg Lys Ser Arg Ile Arg Thr Lys Ile Ser Asp Phe
35 40 45

Gly	Ser	Phe	Ile	Gly	Phe	Lys	Gly	Ser	Glu	Asp	Leu	Gly	Glu	Gly	Leu
50						55					60				
Lys	Ala	Val	Trp	Gln	Leu	Glu	Gln	Asp	Val	Ser	Val	Ala	Gly	Gly	Gly
65					70				75						80
Ala	Thr	Arg	Trp	Gly	Asn	Arg	Glu	Ser	Phe	Val	Gly	Leu	Ala	Gly	Glu
				85				90						95	
Phe	Gly	Thr	Leu	Arg	Ala	Gly	Arg	Val	Ala	Asn	Gln	Phe	Asp	Asp	Ala
			100					105					110		
Ser	Lys	Ala	Ile	Asp	Pro	Trp	Asp	Ser	Asn	Asn	Val	Val	Ala	Ser	Gln
		115					120					125			
Leu	Gly	Ile	Phe	Lys	Arg	His	Asp	Asp	Met	Pro	Val	Ser	Val	Arg	Tyr
		130				135					140				
Asp	Ser	Pro	Glu	Phe	Ser	Gly	Phe	Ser	Gly	Ser	Val	Gln	Phe	Val	Pro
145					150				155						160
Ala	Gln	Asn	Ser	Lys	Ser	Ala	Tyr	Thr	Pro	Ala	His	Phe	Val	Gln	Gln
				165					170					175	
Thr	Pro	Gln	Ser	Gln	Pro	Thr	Leu	Val	Pro	Ala	Val	Val	Gly	Lys	Pro
			180					185					190		
Gly	Ser	Asp	Val	Tyr	Tyr	Ala	Gly	Leu	Asn	Tyr	Lys	Asn	Gly	Gly	Phe
		195					200					205			
Ala	Gly	Asn	Tyr	Ala	Phe	Lys	Tyr	Ala	Lys	His	Ala	Asn	Val	Gly	Arg
		210				215					220				
Asp	Ala	Phe	Glu	Leu	Phe	Leu	Leu	Gly	Ser	Gly	Ser	Asp	Glu	Ala	Lys
225					230				235						240
Gly	Thr	Asp	Pro	Leu	Lys	Asn	His	Gln	Val	His	Arg	Leu	Thr	Gly	Gly
			245					250					255		
Tyr	Glu	Glu	Gly	Gly	Leu	Asn	Leu	Ala	Leu	Ala	Ala	Gln	Leu	Asp	Leu
			260				265					270			
Ser	Glu	Asn	Ala	Asp	Lys	Thr	Lys	Asn	Ser	Thr	Thr	Glu	Ile	Ala	Ala
		275					280					285			
Thr	Ala	Ser	Tyr	Arg	Phe	Gly	Asn	Ala	Val	Pro	Arg	Ile	Ser	Tyr	Ala
		290				295					300				
His	Gly	Phe	Asp	Phe	Ile	Glu	Arg	Gly	Lys	Lys	Gly	Glu	Asn	Thr	Ser
305					310				315						320
Tyr	Asp	Gln	Ile	Ile	Ala	Gly	Val	Asp	Tyr	Asp	Phe	Ser	Lys	Arg	Thr
			325					330					335		
Ser	Ala	Ile	Val	Ser	Gly	Ala	Trp	Leu	Lys	Arg	Asn	Thr	Gly	Ile	Gly
			340					345					350		
Asn	Tyr	Thr	Gln	Ile	Asn	Ala	Ala	Ser	Val	Gly	Leu	Arg	His	Lys	Phe
		355				360						365			

<210> 5

<211> 1122

<212> DNA

<213> Neisseria meningitidis (group B)

<400> 5

atggatgtca	gcctatacgg	cgaaatcaaa	gccggcgtgg	aaggcaggaa	ctaccagctg	60
caattgactg	aagcacaagc	cgctaacggt	ggagcgagcg	gtcaggtaaa	agttactaaa	120
gttactaagg	ccaaaagccg	catcaggacg	aaaatcagtg	atttcggctc	gtttatcggc	180
tttaagggga	gtgaggattt	gggcgacggg	ctgaaggctg	tttggcagct	tgagcaagac	240
gtatccgttg	ccggcgggcg	cgcgacccag	tggggcaaca	gggaatcctt	tatcggttg	300
gcaggcgaat	tccgtacgct	gcgcgccggt	cgcgttgcga	atcagtttga	cgatgccagc	360
caagccattg	atccttgagg	cagcaataat	gatgtggctt	cgcaattggg	tattttcaaa	420
cgccacgacg	acatgccggt	ttccgtacgc	tacgattccc	ccgaattttc	cggtttcagc	480
ggcagcgttc	aattcgttcc	gatccaaaac	agcaagtccg	cctatacgcc	ggcttattat	540
actaaggata	caaacaataa	tcttactctc	gttccggctg	ttgtcggcaa	gcccggatcg	600

```

gatgtgtatt atgccggtct gaattacaaa aatggcggtt ttgccgggaa ctatgccttt 660
aaatatgcga gacacgccaa tgtcggacgt aatgcttttg agttgttctt gatcggcagc 720
gggagtgatc aagccaaagg taccgatccc ttgaaaaacc atcaggtaga ccgtctgacg 780
ggcggctatg aggaaggcgg cttgaatctc gccttggcgg ctcagttgga tttgtctgaa 840
aatggcgaca aaaccaaaaa cagtacgacc gaaattgccg ccactgcttc ctaccgcttc 900
ggtaatgcag ttccacgcat cagctatgcc catggtttcg actttatcga acgcggtaaa 960
aaaggcgaaa ataccagcta cgatcaaadc atcgccggcg ttgattatga tttttccaaa 1020
cgcacttcgg ccacgtgtc tggcgcttgg ctgaaacgca ataccggcat cggcaactac 1080
actcaaatta atgccgctc cgtcggtttg cgccacaaat tc 1122

```

<210> 6

<211> 374

<212> PRT

<213> *Neisseria meningitidis* (group B)

<400> 6

```

Met Asp Val Ser Leu Tyr Gly Glu Ile Lys Ala Gly Val Glu Gly Arg
1           5           10           15
Asn Tyr Gln Leu Gln Leu Thr Glu Ala Gln Ala Ala Asn Gly Gly Ala
          20           25           30
Ser Gly Gln Val Lys Val Thr Lys Val Thr Lys Ala Lys Ser Arg Ile
        35           40           45
Arg Thr Lys Ile Ser Asp Phe Gly Ser Phe Ile Gly Phe Lys Gly Ser
        50           55           60
Glu Asp Leu Gly Asp Gly Leu Lys Ala Val Trp Gln Leu Glu Gln Asp
65           70           75           80
Val Ser Val Ala Gly Gly Gly Ala Thr Gln Trp Gly Asn Arg Glu Ser
          85           90           95
Phe Ile Gly Leu Ala Gly Glu Phe Gly Thr Leu Arg Ala Gly Arg Val
          100          105          110
Ala Asn Gln Phe Asp Asp Ala Ser Gln Ala Ile Asp Pro Trp Asp Ser
          115          120          125
Asn Asn Asp Val Ala Ser Gln Leu Gly Ile Phe Lys Arg His Asp Asp
          130          135          140
Met Pro Val Ser Val Arg Tyr Asp Ser Pro Glu Phe Ser Gly Phe Ser
145          150          155          160
Gly Ser Val Gln Phe Val Pro Ile Gln Asn Ser Lys Ser Ala Tyr Thr
          165          170          175
Pro Ala Tyr Tyr Thr Lys Asp Thr Asn Asn Asn Leu Thr Leu Val Pro
          180          185          190
Ala Val Val Gly Lys Pro Gly Ser Asp Val Tyr Tyr Ala Gly Leu Asn
          195          200          205
Tyr Lys Asn Gly Gly Phe Ala Gly Asn Tyr Ala Phe Lys Tyr Ala Arg
          210          215          220
His Ala Asn Val Gly Arg Asn Ala Phe Glu Leu Phe Leu Ile Gly Ser
225          230          235          240
Gly Ser Asp Gln Ala Lys Gly Thr Asp Pro Leu Lys Asn His Gln Val
          245          250          255
His Arg Leu Thr Gly Gly Tyr Glu Glu Gly Gly Leu Asn Leu Ala Leu
          260          265          270
Ala Ala Gln Leu Asp Leu Ser Glu Asn Gly Asp Lys Thr Lys Asn Ser
          275          280          285
Thr Thr Glu Ile Ala Ala Thr Ala Ser Tyr Arg Phe Gly Asn Ala Val
          290          295          300
Pro Arg Ile Ser Tyr Ala His Gly Phe Asp Phe Ile Glu Arg Gly Lys
305          310          315          320
Lys Gly Glu Asn Thr Ser Tyr Asp Gln Ile Ile Ala Gly Val Asp Tyr

```

325 330 335
 Asp Phe Ser Lys Arg Thr Ser Ala Ile Val Ser Gly Ala Trp Leu Lys
 340 345 350
 Arg Asn Thr Gly Ile Gly Asn Tyr Thr Gln Ile Asn Ala Ala Ser Val
 355 360 365
 Gly Leu Arg His Lys Phe
 370

<210> 7
 <211> 1113
 <212> DNA
 <213> *Neisseria meningitidis* (group B)

<400> 7
 atggatgtca gcctatacgg cgaaatcaaa gccggcgtgg aaggcaggaa ctaccagctg 60
 caattgactg aagcacaagc cgctaacggg ggagcgagcg gtcaggtaaa agttactaag 120
 gccaaaagcc gcatcaggac gaaaatcagt gatttcggct cgtttatcgg ctttaagggg 180
 agcgaggatt tgggcgaagg tctgaaagct gtttggcagc ttgagcaaga cgtatccgtt 240
 gccggcggcg gcgcgaccca gtggggcaac agggaatcct ttatcggtt ggcaggcgaa 300
 ttcgggtacgc tgcgcgccgg tgcggttgcg aatcagtttg acgatgccag ccaagccatt 360
 gatccttggg acagcaacaa tgatgtggct tcgcaattgg gtattttcaa acgccacgac 420
 gatatgccgg tttctgtacg ctacgactct ccggactttt ccggtttcag cggcagcggt 480
 caattcggtc cgatccaaaa cagcaagtcc gcctatacgc cggctcatgt tgttgtgaat 540
 aacaaggttg ctactcacgt tccggctggt gtcggcaagc ccggatcgga tgtgtattat 600
 gccggtctga attacaaaaa tggcgggtttt gccgggaact atgcctttaa atatgcgaga 660
 cagcceaagc tcggacgtaa tgcttttgag ttgttcttga tcggcagcgc gacgagtgat 720
 caagccaaag gtaccgatcc cttgaaaaac catcagggtac accgcctgac gggcgggtat 780
 gaggaaggcg gcttgaatct cgccttgccg gctcagtttg atttgtctga aaatgccgac 840
 aaaacaaaaa acagtacgac cgaaattgcc gcgactgctt cctaccgctt cggtaatgca 900
 gttccacgca tcagctatgc ccatggtttc gacttgatcg aacgcggtaa aaaaggcgaa 960
 aataccagct acgatcaaat catcgccggc gttgattatg atttttccaa acgcacttcc 1020
 gccatcgtgt ctggcgcttg gctgaaacgc aataccggca tcggcaacta cactcaaatt 1080
 aatgccgcct ccgtcggttt gcgccacaaa ttc 1113

<210> 8
 <211> 371
 <212> PRT
 <213> *Neisseria meningitidis* (group B)

<400> 8
 Met Asp Val Ser Leu Tyr Gly Glu Ile Lys Ala Gly Val Glu Gly Arg
 1 5 10 15
 Asn Tyr Gln Leu Gln Leu Thr Glu Ala Gln Ala Ala Asn Gly Gly Ala
 20 25 30
 Ser Gly Gln Val Lys Val Thr Lys Ala Lys Ser Arg Ile Arg Thr Lys
 35 40 45
 Ile Ser Asp Phe Gly Ser Phe Ile Gly Phe Lys Gly Ser Glu Asp Leu
 50 55 60
 Gly Glu Gly Leu Lys Ala Val Trp Gln Leu Glu Gln Asp Val Ser Val
 65 70 75 80
 Ala Gly Gly Gly Ala Thr Gln Trp Gly Asn Arg Glu Ser Phe Ile Gly
 85 90 95
 Leu Ala Gly Glu Phe Gly Thr Leu Arg Ala Gly Arg Val Ala Asn Gln
 100 105 110
 Phe Asp Asp Ala Ser Gln Ala Ile Asp Pro Trp Asp Ser Asn Asn Asp
 115 120 125
 Val Ala Ser Gln Leu Gly Ile Phe Lys Arg His Asp Asp Met Pro Val

130					135					140					
Ser	Val	Arg	Tyr	Asp	Ser	Pro	Asp	Phe	Ser	Gly	Phe	Ser	Gly	Ser	Val
145					150					155					160
Gln	Phe	Val	Pro	Ile	Gln	Asn	Ser	Lys	Ser	Ala	Tyr	Thr	Pro	Ala	His
				165					170					175	
Val	Val	Val	Asn	Asn	Lys	Val	Ala	Thr	His	Val	Pro	Ala	Val	Val	Gly
			180					185				190			
Lys	Pro	Gly	Ser	Asp	Val	Tyr	Tyr	Ala	Gly	Leu	Asn	Tyr	Lys	Asn	Gly
		195					200					205			
Gly	Phe	Ala	Gly	Asn	Tyr	Ala	Phe	Lys	Tyr	Ala	Arg	His	Ala	Asn	Val
	210					215				220					
Gly	Arg	Asn	Ala	Phe	Glu	Leu	Phe	Leu	Ile	Gly	Ser	Ala	Thr	Ser	Asp
225					230					235					240
Gln	Ala	Lys	Gly	Thr	Asp	Pro	Leu	Lys	Asn	His	Gln	Val	His	Arg	Leu
				245					250					255	
Thr	Gly	Gly	Tyr	Glu	Glu	Gly	Gly	Leu	Asn	Leu	Ala	Leu	Ala	Ala	Gln
			260					265					270		
Leu	Asp	Leu	Ser	Glu	Asn	Ala	Asp	Lys	Thr	Lys	Asn	Ser	Thr	Th	